

# DATA ASSESSMENT REGISTRY MENTAL HEALTH & ADDICTION

Web Services Specifications Manual SFY2019

July 2018

STATE OF INDIANA
FAMILY AND SOCIAL SERVICES ADMINISTRATION
DIVISION OF MENTAL HEALTH AND ADDICTION
402 WEST WASHINGTON STREET, ROOM W353
INDIANAPOLIS, IN 46204

# **Table of Contents**

| DARMHA WEB SERVICES                    |    |
|--|----|
| WEB METHODSConsumer Demographic Object |    |
| ConsumerExist                          |    |
| ValidateConsumer                       |    |
| InsertConsumer                         |    |
| UpdateConsumer                         |    |
| ConsumerLastAssessed                   |    |
| GetConsumer                            |    |
| Assessment Object                      |    |
| ValidateAssessment                     |    |
| ProcessAssessment1                     |    |
|  |    |
| ProcessAssessment2                     |    |
| ProcessAssessment3                     |    |
| GetAssessmentResults                   |    |
| GetAssessmentTools                     |    |
| GetAssessmentToolQuestions             |    |
| GetClinicianCertification              |    |
| ValidateAnswers                        |    |
| Episode Object                         |    |
| GetLatestEpisode                       | 25 |
| GetPriorEpisode                        | 25 |
| GetEpisodeStatus                       | 26 |
| GetEpisode                             | 27 |
| GetEpisodeList                         | 27 |
| CloseEpisode                           | 28 |
| InsertEpisode                          | 29 |
| UpdateEpisode                          | 32 |
| Encounter Object                       | 33 |
| InsertEncounter                        | 33 |
| UpdateEncounter                        | 34 |
| DeletaEncounter                        | 25 |

| GetEncounter                          | 36 |
|---------------------------------------|----|
| Diagnosis & Agreement Type Object     | 37 |
| InsertDiagnosisAgreementType          | 37 |
| ValidateDiagnosisCode                 | 38 |
| GetDiagnosisList                      | 39 |
| GetLatestAgreementType                |    |
| NOMS Object                           | 40 |
| InsertNOMSHistory                     | 40 |
| GetSubstanceCodes                     | 44 |
| UNIVERSAL ERROR CODE LIST             | 45 |
| Schedule 5. Substance Use/Abuse Codes | 48 |
| Schedule 6. Primary Language Codes    | 48 |
|                                       |    |

| List of Revisions to Manual |  |  |
|-----------------------------|--|--|
|                             |  |  |
|                             |  |  |
|                             |  |  |
|                             |  |  |
|                             |  |  |
|                             |  |  |
|                             |  |  |
|                             |  |  |
|                             |  |  |
|                             |  |  |
|                             |  |  |

#### DARMHA WEB SERVICES

All method examples are written using C# and Visual Basic.Net notation in a Microsoft .NET framework context. This does not mean that these web services are inaccessible to other languages or platforms; just be aware that using a different environment and/or platform may require a different syntax when writing your code.

Unlike before, the web service call needs username and password in XML SOAP header. For ASP clients, you need to add web service reference to https://dmha.fssa.in.gov/darmha/darmhaservice.svc and following entries inside your client configuration file. This is compatible with .net framework 4.5 and above.

```
<system.serviceModel>
      <br/>thindings>
          <wsHttpBinding>
              <binding name="WSHttpBinding IWcfService" closeTimeout="00:01:00"</pre>
                   openTimeout="00:01:00" receiveTimeout="00:10:00" sendTimeout="00:01:00"
                   bypassProxyOnLocal="false" transactionFlow="false"
                   hostNameComparisonMode="StrongWildcard"
                   maxBufferPoolSize="524288" maxReceivedMessageSize=" 2147483647"
                   messageEncoding="Text"
                   textEncoding="utf-8" useDefaultWebProxy="true" allowCookies="false">
                  <readerQuotas maxDepth="32" maxStringContentLength="8192" maxArrayLength="16384"</pre>
                      maxBytesPerRead="4096" maxNameTableCharCount="16384"/>
                  <reliableSession ordered="true" inactivityTimeout="00:10:00" enabled="false"/>
                  <security mode="TransportWithMessageCredential">
                      <transport clientCredentialType="None" proxyCredentialType="None" realm=""/>
                      <message clientCredentialType="UserName" negotiateServiceCredential="true"</pre>
                        algorithmSuite="Default" establishSecurityContext="true"/>
              </binding>
          </wsHttpBinding>
      </bindings>
      <client>
            <endpoint address="https://dmha.fssa.in.gov/darmha/darmhaservice.svc"</pre>
                    binding="wsHttpBinding"
                    bindingConfiguration="WSHttpBinding_IWcfService"
                    contract="Client.IWcfService"
                    name="WSHttpBinding IWcfService">
              <identity>
                  <dns value="localhost"/>
              </identity>
          </endpoint>
      </client>
  </system.serviceModel>
```

Fields indicated as optional must still appear in the command call, but should have empty values passed. In the case of the Web Method call the parameter list might look like the following:

```
var client = new DARMHA_ServiceReference.DARMHAServiceClient();

client.ClientCredentials.UserName.UserName = "username";
    client.ClientCredentials.UserName.Password = "password";

client.Open();
    Console.Write(client.ConsumerExists(param1,param2,"",param4,"","");

client.Close();
```

The example assumes that param3,5,6, and 7 are defined as string.

In the case of a SOAP XML message, you would frame it as an empty tag: <Internal ID></Internal ID>

Inclusion of "" within the tag would be incorrect.

When the methods expect parameters that are derived from code or look-up tables, please reference the DARMHA Import/Export manual for a listing of acceptable codes for each data element.

\* In the detailed listing of the Serializable Web Classes, the items highlighted in yellow are those items that are optional data to provide to DARMHA.

#### **Web Classes**

Classes have been established that are serializable and can be consumed much like the web methods for the passing of data to and from the application where applicable. When possible/appropriate, duplicate methods exist to facilitate those that would most benefit from the use of Web Classes.

The following is a detailed listing of the Serializable Web Classes that are available for DARMHA Web Service users that will grant you easier access to the retrieval and submission of data via the Web Services protocol. The **Error\_Code** field is only available in item classes and will be populated for error codes.

- AssessmentResultItem
- AssessmentToolQuestionItem
- AssessmentToolItem
- AssessmentHeader1
- AssessmentHeader2
- AssessmentHeader3
- ClinicianCertificationItem
- Consumer
- ConsumerItem (Same as Consumer with Error\_Code field)
- DiagnosisCodeitem
- DiagnosisAgreementType
- Encounter
- EncounterItem (Same as Encounter with Error Code field)
- Enisode
- Episodeltem (Same as Episode with Error\_Code field)
- NOMS
- SubstanceItem

#### **AssessmentResultItem Class**

| Integer | Visit_ID          |
|---------|-------------------|
| String  | Algorithm_Desc    |
| String  | Option_Desc_Short |
| String  | Option_Desc_Long  |
| Integer | Option_Level      |
| String  | Error_Code        |

#### AssessmentToolQuestionItem Class

Integer Module ID String Module\_Name Integer Question ID Question Text String Question\_Clarification String Question Order Integer Integer Answer\_ID Answer\_Desc String String Answer Value Error\_Code String

#### **AssessmentToolItem Class**

IntegerTool\_IDStringTool\_Desc\_LongStringTool\_Desc\_ShortIntegerGroup\_IDStringGroup\_DescStringError\_Code

#### AssessmentHeader1 Class

String Clinician\_ID String Assessment\_Date Assessment Reason Code Integer Internal\_Episode\_Code String String Internal Assessment ID Strengthening\_Families Integer Parent\_Child\_Interactive Integer Integer Child Parent Psychotherapy Integer Incredible\_Years Integer(null) Reporting\_Field1 Reporting\_Field2 Integer(null)

Answer ID

Integer[array]

#### **AssessmentHeader2 Class**

String Clinician\_ID
String Assessment\_Date

ntegerAssessment\_Reason\_CodeStringInternal\_Episode\_CodeStringInternal\_Assessment\_IDIntegerTrauma\_Focused

Integer Aggreession Replacement

Integer Cannabis Youth

Integer Strengthening\_Families
Integer Parent\_Child\_Interactive
Integer Structure\_Psychotherapy
Integer Dialectical\_Behavior
Integer Cognitive\_Behavior
Integer Incredible\_Years
Integer Functional\_Family

 Integer
 High\_Fidelity\_Wraparound

 Integer
 Youth\_First\_Family

 Integer
 Alternative\_Families

 Integer
 Motivational\_Interviewing

 Integer
 Cognitive\_Behavior\_Therapy

 Integer
 Mulisystemic Therapy

Integer Transition Independence Process

Integer(null)Reporting\_Field1Integer(null)Reporting\_Field2Integer[array]Answer\_ID

#### **AssessmentHeader3 Class**

String Clinician\_ID
String Assessment Date

 Integer
 Assessment\_Reason\_Code

 String
 Internal\_Episode\_Code

 String
 Internal\_Assessment\_ID

 Integer
 SMI\_Carve\_Out

 Integer
 ACT\_Indicator

 Integer
 Illness\_Management

 Integer
 Integrated\_Dual\_Diagnosis

 Integer
 Motivational\_Interviewing

 Integer
 Cognitive\_Behavior

Integer Matrix\_Model
Integer Dialectical\_Behavior
Integer Clubbouse

IntegerClubhouseIntegerPeer\_Support

IntegerFamily\_PsychoeducationIntegerMedication\_ManagementIntegerSupported\_EmploymentIntegerSupported\_HousingInteger(null)Reporting\_Field1Integer(null)Reporting\_Field2Integer[array]Answer\_ID

#### **ClinicianCertificationItem Class**

| Integer | Certification_Type_ID |
|---------|-----------------------|
| String  | Certification_Desc    |
| String  | Effective_Start_Date  |
| String  | Expiration_Date       |
| String  | Error_Code            |

#### **Consumer Class**

Internal ID **String** CSDS ID String Last Name String String First Name String Gender at Birth Gender **String** String Birth\_Date SSN String Integer Ethnicity Zipcode String Middle Name String

Mother Maiden Name String Race American Indian Integer

Integer Race\_Asian

Integer Race\_African\_American Race Caucasian Integer Integer Race\_Hawaian Race Other Integer

Integer Suffix\_ID

Integer(null) Primary\_Language Integer(null) **English Fluency** Medicaid\_ID String String DOC ID

Integer(null) Recovery\_Works

#### **DiagnosisCodeItem Class**

Integer Diagnosis ID **String** Diagnosis\_Code String Diagnosis Desc Integer Leading Cause Ind Error\_Code String

#### DiagnosisAgreementType Class

String Diagnosis\_Date Primary Diagnosis1 String

String Diagnosis2 String Diagnosis3 Diagnosis4 String String Diagnosis5 Integer(null) **SOGS** 

Integer **HC** Diabetes HC Cardiovascular Integer Integer **HC** Hypertension Integer HC\_Hyperlipidemia IntegerHC\_CancerIntegerHC\_SmokingIntegerHC\_ObesityIntegerHC\_AsthmaIntegerHC\_COPDIntegerAgreement\_Type

Integer Agreement\_Type
Integer Specialized\_Treament
Integer Agreement Change

#### **Encounter Class**

Service Date String Location ID String String Procedure\_Code Modifier 1 String Modifier 2 String Modifier 3 String Modifier 4 String Integer Units

String Internal\_Service\_ID

#### **SubstanceItem Class**

IntegerSubstance\_IDStringSubstance\_DescStringError\_Code

## **Episode Class**

String Internal\_Episode\_Code

Start\_Date String End\_Date String Medicaid\_Active Integer Integer Marital Status Integer County Integer FoodStamps Integer Referral\_Source Integer Legal Basis Military\_Served Integer Military Veteran Integer Integer Military\_Deployed Integer Military\_Combat Military Family Integer Consumer\_Disability Integer

Integer TANF

Integer Health\_Insurance
String Insurance\_History\_Date

Integer Family\_Size
Integer Adjusted\_Income
Integer Episode\_Status
Integer Prior\_SAEpisodes
Integer Dependent\_Children

IntegerDSC\_StatusStringDSC\_Start\_DateStringDeath\_Date

#### **NOMS Class**

String NOMS\_Date
Integer Reason\_Code
Integer Education\_level
Integer School\_Attendance
Integer Employment
Integer Employment\_Detail
Integer Roles\_Score

IntegerLiving\_ArrangementIntegerHousing\_CategoryIntegerHousing\_Stability

IntegerResidential\_Support\_LevelIntegerCommunity\_Integration\_Level

IntegerHomeless\_ServicesIntegerPrimary\_SubstanceIntegerPrimary\_RouteIntegerPrimary\_FrequencyIntegerPrimary\_Age

Secondary\_Substance Integer Secondary Route Integer Secondary\_Frequency Integer Secondary\_Age Integer Integer Tertiary\_Substance Integer Tertiary\_Route **Tertiary Frequency** Integer Integer Tertiary\_Age

 Integer
 Criminal\_Involvement

 Integer
 Social\_Support

 Integer
 Needle\_Use

 Integer
 Currently Pregnant

Integer Consumer\_Receiving\_MAT
Integer Prescribed\_Medication

Integer Is\_Prescriber\_Organization\_Staff

## **WEB METHODS**

## **Consumer Demographic Object**

#### **ConsumerExist**

This method checks the existence of a consumer record from the database.

#### [C#]

public int ConsumerExists(string Internal\_ID, int Medicaid\_Active, int Medicaid\_ID, string CSDS\_ID, string Last\_Name, string First\_Name, string Birth\_Date)

#### [Visual Basic.Net]

Public ConsumerExists(Byval Internal\_ID as String, Byval Medicaid\_Active as Integer, Byval Medicaid\_ID as String, Byval CSDS\_ID as String, Byval Last\_Name as String, Byval First\_Name as String, Byval Birth\_Date as String) as Integer

#### **Input Parameters**

| Field Name      | Required | Data Type | Length | Comments/Description   |
|-----------------|----------|-----------|--------|--|
| Internal_ID     | Yes      | String    | 20     | The provider's internal client identifier used at the provider's |
|                 |          |           |        | practice in their internal systems.                              |
| Medicaid_Active | Yes      | Integer   |        | 0 – Not Active, 1 – Active                                       |
| Medicaid_ID     | No*      | String    | 12     | Consumer's Medicaid ID   |
| CSDS_ID         | No*      | String    | 16     | For consumers served in CSDS, please supply this number.         |
| Last_Name       | Yes      | String    | 30     | Consumer's Last Name   |
| First_Name      | Yes      | String    | 25     | Consumer's First Name  |
| Birth_Date      | Yes      | Date      |        | Format should be: "MM/DD/YYYY"                                   |

<sup>\*</sup> Must enter: "" (empty double quotes)

#### Returns: Integer

|       | <u> </u>                  |
|-------|---------------------------|
| Value | Value Description         |
| >0    | DARMHA ID (Record found)  |
| 0     | Consumer record not found |
| -1    | Invalid flow              |
| -2    | SQL exception             |
| -3    | Authentication Failed     |

## **ValidateConsumer**

This method validates consumer information by a given parameters.

## [C#]

public string ValidateConsumer(Consumer inputConsumer)

## [Visual Basic.Net]

Public ValidateConsumer(Byval inputConsumer as Consumer) as String

## inputConsumer Parameters

| Field Name            | Required | Data Type | Length | Comments/Description                                     |
|-----------------------|----------|-----------|--------|--|
| inputConsumer         |          |           |        |  |
| Internal_ID           | Yes      | String    | 20     | The provider's internal client identifier used at the    |
|                       |          |           |        | provider's practice in their internal systems.           |
| CSDS_ID               | No*      | String    | 16     | For consumers served in CSDS, please supply this number. |
| Last_Name             | Yes      | String    | 30     | Consumer's Last Name                                     |
| First_Name            | Yes      | String    | 25     | Consumer's First Name                                    |
| Gender at Birth       | Yes      | String    | 1      | M = Male, F = Female                                     |
| Gender                | Yes      | String    | 1      | M = Male, F = Female                                     |
| Birth_Date            | Yes      | Date      |        | Format should be: "MM/DD/YYYY"                           |
| SSN                   | No*      | String    | 11     | 999-99-9999  |
| Ethnicity             | Yes      | Integer   |        | Consumer's Ethnic Status:                                |
| ·                     |          |           |        | 1 = Puerto Rican   |
|                       |          |           |        | 2 = Mexican  |
|                       |          |           |        | 3 = Cuban  |
|                       |          |           |        | 4 = Other Hispanic/Latino                                |
|                       |          |           |        | 5 = Not Hispanic/Latino                                  |
|                       |          |           |        | 6 = Latino Unknown Origin                                |
| Zipcode               | Yes      | String    | 10     | 99999 or 9999-99999 (5 or 5 + dash + 4)                  |
| Middle_Name           | Yes      | String    | 25     | Consumer's Middle Name                                   |
| Mother_Maiden_Name    | No*      | String    | 30     | Consumer's Mother's Maiden Name                          |
| Race_American_Indian  | Yes      | Integer   |        | 0 = Not Native American; 1 = Native American             |
| Race_Asian            | Yes      | Integer   |        | 0 = Not Asian; 1 = Asian                                 |
| Race_African_American | Yes      | Integer   |        | 0 = Not African American; 1 = African American           |
| Race_Caucasian        | Yes      | Integer   |        | 0 = Not White; 1 = White                                 |
| Race_Hawaiian         | Yes      | Integer   |        | 0 = Not Native Hawaiian/Pacific Islander                 |
|                       |          |           |        | 1 = Native Hawaiian/Pacific Islander                     |
| Race_Other            | Yes      | Integer   |        | 0 = Race category was selected                           |
|                       |          |           |        | 1 = Available race categories do not apply               |
| Suffix_ID             | Yes      | Integer   |        | Consumer' Name Suffix:                                   |
|                       |          |           |        | -2 = None  |
|                       |          |           |        | 1 = I (First)  |
|                       |          |           |        | 2 = II (Second)  |
|                       |          |           |        | 3 = III (Third)  |
|                       |          |           |        | 4 = IV (Fourth)  |
|                       |          |           |        | 5 = V (Fifth)  |
|                       |          |           |        | 10 = Jr.   |
|                       |          |           |        | 11 = Sr.   |
| Primary_Language      | Yes      | Integer   |        | Please see schedule 6. Can be Unknown (-1) if record was |
|                       |          |           |        | created before 7/1/2016.                                 |
| English_Fluency       | Yes      | Integer   |        | 0=No; 1=Yes; -3 = Not Applicable                         |

| Medicaid_ID    | No* | String | 12 | Medicaid ID (Optional). Consumer's Medicaid ID, must be 12 digits starting with 10, 12 and ending with 99 or 12 digits starting with 6. |
|----------------|-----|--------|----|---|
| DOC_ID         | No* | String | 6  | Field is utilized for new program – optional for new program  |
| Recovery_Works | Yes | Int    |    | Field used for new program- required for new program (0 = No, 1 = Yes, -3 = Not Applicable)   |

<sup>\*</sup>If not provided, must leave blank.

Returns: string

| Value | Value Description  |
|-------|--|
| 1     | Consumer record was validated successfully                                     |
| -2    | SQL exception  |
| -3    | Authentication Failed  |
| -20   | Field with error   |
| -52   | At least one race must be selected   |
| -57   | Other single race can only be used when the other race categories do not apply |
| -84   | Provider not eligible for new program.   |
| -85   | Required data for new program is not complete.                                 |
| -89   | Suffix does not belong in the last name field.                                 |
| -93   | Duplicate SSN.   |
| -94   | Duplicate Medicaid ID.   |
| -95   | English Fluency field is required if primary language is not English.          |

## String representing the validation status of each field based from order position.

From left to right: (values 0 = OK, 1 = Error)

#### *InsertConsumer*

This method inserts new consumer record in the database.

#### [C#]

public string InsertConsumer(Consumer inputConsumer)

#### [Visual Basic.Net]

Public InsertConsuner(Byval inputConsumer as Consumer) as String

#### **Input Parameters**

| Field Name    | Required | Data Type | Length | Comments/Description                                   |
|---------------|----------|-----------|--------|--|
| inputConsumer | Yes      | Class     |        | Please see inputConsumer parameter in ValidateConsumer |
|               |          |           |        | method.  |

## Returns: String (It will return a zero (0) value to flag inserted successfully otherwise, returns existing DARMHA ID)

| Value | Value Description  |
|-------|--|
| 0     | Record inserted successfully   |
| -1    | Invalid flow   |
| -2    | SQL exception  |
| -3    | Authentication Failed  |
| -20   | Field with error   |
| -57   | Other single race can only be used when the other race categories do not apply |
| -65   | Based on DOB and Social Security, this consumer already exists                 |

| -84 | Provider not eligible for new program.                                |
|-----|---|
| -85 | Required data for new program is not complete.                        |
| -89 | Suffix does not belong in the last name field.                        |
| -93 | Duplicate SSN.  |
| -94 | Duplicate Medicaid ID.  |
| -95 | English Fluency field is required if primary language is not English. |
| -97 | Language ID value of -1 (Unknown) is not allowed.                     |

#### String representing the validation status of each field based from order position.

From left to right: (values 0 = OK, 1 = Error)

#### **UpdateConsumer**

This method updates the existing cosumer record based on the details parameters given.

#### [C#]

public string UpdateConsumer(Consumer inputConsumer)

#### [Visual Basic.Net]

public UpdateConsumer(Byval inputConsumer as Consumer ) as String

#### **Input Parameters**

| Field Name    | Required | Data Type | Length | Comments/Description                                   |
|---------------|----------|-----------|--------|--|
| inputConsumer | Yes      | Class     |        | Please see inputConsumer parameter in ValidateConsumer |
|               |          |           |        | method   |

#### Returns: String (It will return a positive value to flag inserted successfully)

| Value | Value Description  |
|-------|--|
| 0     | Consumer record not found  |
| -1    | Invalid flow   |
| -2    | SQL exception  |
| -3    | Authentication Failed  |
| -20   | Field with error   |
| -57   | Other single race can only be used when the other race categories do not apply |
| -66   | Cannot updated consumer record, DOB does not match assessment tool.            |
| -84   | Provider not eligible for new program.   |
| -85   | Required data for new program is not complete.                                 |
| -89   | Suffix does not belong in the last name field.                                 |
| -93   | Duplicate SSN.   |
| -94   | Duplicate Medicaid ID.   |
| -95   | English Fluency field is required if primary language is not English.          |
| -97   | Language ID value of -1 (Unknown) is not allowed.                              |

#### String representing the validation status of each field based from order position.

From left to right: (values 0 = OK, 1 = Error)

An error on Last Name, Gender and Race Asian will return: 001001000000010000000000

#### ConsumerLastAssessed

This method returns the latest assessment date for an specific consumer.

#### [C#]

public string ConsumerLastAssesed(string Internal\_ID)

#### [Visual Basic.Net]

Public String ConsumerLastAssesed(Byval Internal\_ID as String) as String

#### **Input Parameters**

| Field Name Required Data Type Let |               | Length | Comments/Description |   |  |
|-----------------------------------|---------------|--------|----------------------|---|--|
| Internal_ID                       | Yes String 20 |        | 20                   | The provider's internal client identifier used at the |  |
|                                   |               |        |                      | provider's practice in their internal systems.        |  |

#### Returns: String

| Value      | Value Description         |
|------------|---------------------------|
| MM/DD/YYYY | Last Assessment Date      |
| 0          | Consumer Record not found |
| -1         | Invalid flow              |
| -2         | SQL exception             |
| -3         | Authentication Failed     |
| -5         | No Assessment Found       |

#### **GetConsumer**

This method retrieves a dataset of a particular existing consumer from the database.

#### [C#]

public ConsumerItem GetConsumer(string Internal\_ID)

#### [Visual Basic.Net]

Public GetConsumer(Byval Internal\_ID as String) as ConsumerItem

#### **Input Parameters**

| The state of the s |  |                      |    |   |  |  |
|--|--|----------------------|----|---|--|--|
| Field Name Required Data Type Length Comments/Description  |  | Comments/Description |    |   |  |  |
| Internal_ID Yes Stri   |  | String               | 20 | This is the provider's internal client identifier used at the |  |  |
|  |  |                      |    | provider's practice in their internal systems.                |  |  |

#### Returns: ConsumerItem with Error\_Code field (blank default)

| Error_Code | Value Description         |
|------------|---------------------------|
| 0          | Consumer Record not found |
| -1         | Invalid flow              |
| -2         | SQL exception             |
| -3         | Authentication Failed     |

# **Assessment Object**

#### ValidateAssessment

This method validates an existing Consumer Assessment record.

#### [C#]

public string ValidateAssessment(string Internal\_ID, string Assessment\_Date, string Clinician\_ID, int
Assessment\_Reason\_Code, int[] Answer\_ID)

#### [Visual Basic.Net]

Public ValidateAssessment(Byval Internal\_ID as String, Byval Assessment\_Date as String, Byval Clinician\_ID as String, Byval Assessment\_Reason\_Code as Integer, Byval Answer\_ID() as Integer) as String

#### **Input Parameters**

| Field Name             | Required | Data Type | Length | Comments/Description  |
|------------------------|----------|-----------|--------|---|
| Internal_ID            | Yes      | String    | 20     | The provider's internal client identifier used at the           |
|                        |          |           |        | provider's practice in their internal systems.                  |
| Assessment_Date        | Yes      | Date      |        | Format should be: "MM/DD/YYYY"                                  |
| Clinician_ID           | Yes      | String    | 25     | The ID of the Clinician, registered and currently certified, at |
|                        |          |           |        | the provider's practice, responsible for administering the      |
|                        |          |           |        | CANS/ANSA to the consumer.                                      |
| Assessment_Reason_Code | Yes      | Integer   | 4      | 1 = Initial Assessment  |
|                        |          |           |        | 2 = Reassessment  |
|                        |          |           |        | 3 = Transition/Discharge  |
| Answer_ID              | Yes      | Integer   | 4      | The identifier that represents the answer selected for this     |
|                        |          | [Array]   |        | item/question within the assessment.                            |

#### Returns: String

| Value | Value Description   |
|-------|---|
| 1     | Assessment has been validated successfully  |
| 0     | Consumer record not found   |
| -1    | Invalid flow  |
| -2    | SQL exception   |
| -3    | Authentication Failed   |
| -6    | Assessment Date is required   |
| -7    | Invalid Assessment Date (format)  |
| -8    | Future Assessment Date is not allowed   |
| -9    | Duplicate Assessment – Same Internal_ID and Assessment_Date                                   |
| -10   | Answer_ID is required   |
| -11   | Clinician_ID is required  |
| -12   | Clinician_ID not found or certification is missing or has expired                             |
| -13   | Invalid Assessment Reason Code.   |
| -14   | Assessment is empty   |
| -15   | Assessment Answer Error: An answer does not match with existing assessment.                   |
| -16   | -16 Assessment is incomplete: << Error Question>> answer is missing from core module << Error |
|       | Module>>  |
| -17   | Assessment Answer Mismatch Error: An answer does not match with corresponding assessment.     |
| -18   | -18 Assessment is incomplete: << Error Question>> answer is missing from a mandated extension |
|       | module < <error module="">&gt;</error>  |
| -19   | Unexpected error  |
| -101  | Date of new records cannot be six months prior to current date                                |

## <u>ProcessAssessment1</u>

This method process a single consumer CANS 0-5 assessment record into the database.

#### [C#]

public string ProcessAssessment1(string Internal\_ID, AssessmentHeader1 inputAssessmentHeader1)

#### [Visual Basic.Net]

Public ProcessAssessment1(Byval Internal\_ID as String, Byval inputAssessmentHeader1 as AssessmentHeader1) as String

#### **Input Parameters**

| Field Name                 | Required | Data Type | Length | Comments/Description                             |
|----------------------------|----------|-----------|--------|--|
| Internal_ID                | Yes      | String    | 20     | The provider's internal client identifier used   |
|                            |          |           |        | at the provider's practice in their internal     |
|                            |          |           |        | systems.   |
| InputAssessmentHeader1     |          |           |        |  |
| Clinician_ID               | Yes      | String    | 25     | The ID of the Clinician, registered and          |
|                            |          |           |        | currently certified, at the provider's practice, |
|                            |          |           |        | responsible for administering the                |
|                            |          |           |        | CANS/ANSA to the consumer.                       |
| Assessment_Date            | Yes      | Date      |        | Format should be: "MM/DD/YYYY"                   |
| Assessment_Reason_Code     | Yes      | Integer   | 4      | 1 = Initial Assessment                           |
|                            |          |           |        | 2 = Reassessment                                 |
|                            |          |           |        | 3 = Transition/Discharge                         |
| Internal_Episode_Code      | No       | String    | 25     | The provider's internal episode identifier for   |
|                            |          |           |        | the episode of care for the specified            |
|                            |          |           |        | consumer. Leave this blank to use current        |
|                            |          |           |        | episode.   |
| Internal_Assessment_ID     | No       | String    | 25     | This is the provider's internally assigned       |
|                            |          |           |        | Assessment identifier.                           |
| Strengthening_Families     | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Parent_Child_Interactive   | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Child_Parent_Psychotherapy | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Incredible_Years           | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Reporting_Field1           | Yes      | Integer   | 2      | Number to link with default list or the list     |
|                            |          |           |        | you give DARMHA Support                          |
|                            |          |           |        | (Leave 0 value if not used)                      |
| Reporting_Field2           | Yes      | Integer   | 2      | Number to link with default list or the list     |
|                            |          |           |        | you give DARMHA Support                          |
|                            |          |           |        | (Leave 0 value if not used)                      |
| Answer_ID                  | Yes      | Integer   | 4      | This is the identifier provided by DMHA for      |
|                            |          | Array     |        | the corresponding answer of each                 |
|                            |          |           |        | item/question within the assessment              |

#### Returns: String

| Value | Value Description  |
|-------|--|
| 1     | Assessment has been processed successfully                                     |
| 0     | Consumer record not found  |
| -1    | Invalid flow   |
| -2    | SQL exception  |
| -3    | Authentication Failed  |
| -5    | Invalid Episode of Care specified or no Default Open Episode of Care available |

| -6   | Assessment Date is required   |
|------|---|
| -7   | Invalid Assessment Date (format)  |
| -8   | Future Assessment Date is not allowed   |
| -9   | Duplicate Assessment – Same Internal_ID and Assessment_Date                                   |
| -10  | Answer_ID is required   |
| -11  | Clinician_ID is required  |
| -12  | Clinician_ID not found or certification is missing or has expired                             |
| -13  | Invalid Assessment Reason Code.   |
| -14  | Assessment is empty   |
| -15  | Assessment Answer Error: An answer does not match with existing assessment.                   |
| -16  | -16 Assessment is incomplete: << Error Question>> answer is missing from core module << Error |
|      | Module>>  |
| -17  | Assessment Answer Mismatch Error: An answer does not match with corresponding assessment.     |
| -18  | -18 Assessment is incomplete: << Error Question>> answer is missing from a mandated extension |
|      | module < <error module="">&gt;</error>  |
| -19  | Unexpected error  |
| -21  | Reason Code Error: Incorrect Reason Code Specified  |
| -23  | System Error: Simple Episode Creation Failed  |
| -24  | Episode Error: Assessment cannot be attached to an episode closed for over a year             |
| -25  | Episode Error: Assessment is not within the boundaries of the Episode                         |
| -26  | Discharge Assessment Saved, Episode Could Not Be Closed                                       |
| -27  | Episode Error: Invalid Episode specified  |
| -58  | Invalid Assessment Tool for Consumer's Age  |
| -71  | New Data can only be added for 180 days after the Episode End Date                            |
| -76  | Valid County ID code required   |
| -77  | Clinician ID does not exist in DARMHA   |
| -78  | Certification does not exist in DARMHA  |
| -79  | Clinician certification is expired  |
| -86  | Duplicate Internal Episode Code exist in consumer   |
| -91  | Invalid assessment layout for tool  |
| -92  | Assessment question(s) has multiple Answer IDs  |
| -101 | Date of new records cannot be six months prior to current date                                |

## String representing the validation status of each field based from order position.

From left to right: (values 0 = OK, 1 = Error)

An error on Strengthening\_Families and Incredible\_Years will return: 000000100100

## <u>ProcessAssessment2</u>

This method process a single consumer CANS 5-17 assessment record into the database.

#### [C#]

public string ProcessAssessment2(string Internal\_ID, AssessmentHeader2 inputAssessmentHeader2)

## [Visual Basic.Net]

Public ProcessAssessment2(Byval Internal\_ID as String, Byval inputAssessmentHeader2 as AssessmentHeader2) as String

**Input Parameters** 

| Field Name                         | Required | Data Type | Length | Comments/Description                              |
|------------------------------------|----------|-----------|--------|---|
| Internal_ID                        | Yes      | String    | 20     | The provider's internal client identifier used at |
|                                    |          |           |        | the provider's practice in their internal         |
|                                    |          |           |        | systems.  |
| input Assessment Header 2          |          |           |        |   |
| Clinician_ID                       | Yes      | String    | 25     | The ID of the Clinician, registered and currently |
|                                    |          |           |        | certified, at the provider's practice,            |
|                                    |          |           |        | responsible for administering the CANS/ANSA       |
|                                    |          |           |        | to the consumer.                                  |
| Assessment_Date                    | Yes      | Date      |        | Format should be: "MM/DD/YYYY"                    |
| Assessment_Reason_Code             | Yes      | Integer   | 4      | 1 = Initial Assessment                            |
|                                    |          |           |        | 2 = Reassessment                                  |
|                                    |          |           |        | 3 = Transition/Discharge                          |
| Internal_Episode_Code              | No       | String    | 25     | The provider's internal episode identifier for    |
|                                    |          |           |        | the episode of care for the specified consumer.   |
|                                    |          |           |        | Leave this blank to use current episode.          |
| Internal_Assessment_ID             | No       | String    | 25     | This is the provider's internally assigned        |
|                                    |          |           |        | Assessment identifier.                            |
| Trauma_Focused                     | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Aggression_Replacement             | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Cannabis_Youth                     | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Strengthening_Families             | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Parent_Child_Interactive           | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Structured_Psychotherapy           | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Dialectical_Behavior               | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Cognitive_Behavior                 | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Incredible_Years                   | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Functional_Family                  | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| High_Fidelity_Wraparound           | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Youth_First_Family                 | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Alternative_Families               | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Motivational_Interviewing          | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Cognitive_Behavior_Therapy         | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Multisystemic Therapy              | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| Transition to Independence Process | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                   |
| (TIP)                              |          |           |        |   |
| Reporting_Field1                   | Yes      | Integer   | 2      | Number to link with default list or the list you  |
|                                    |          |           |        | give DARMHA Support (Leave 0 value if not used)   |
| Reporting_Field2                   | Yes      | Integer   | 2      | Number to link with default list or the list you  |
|                                    |          |           |        | give DARMHA Support (Leave 0 value if not used)   |
| Answer_ID                          | Yes      | Integer   | 4      | This is the identifier provided by DMHA for the   |
|                                    |          | Array     |        | corresponding answer of each item/question        |
|                                    |          |           |        | within the assessment                             |

Please see ProcessAssessment1 method for error code return value.

String representing the validation status of each field based from order position.

From left to right: (values 0 = OK, 1 = Error)

#### **ProcessAssessment3**

This method process a single consumer ANSA assessment record into the database.

## [C#]

public string ProcessAssessment3(string Internal\_ID, AssessmentHeader3)

#### [Visual Basic.Net]

Public ProcessAssessment3(Byval Internal\_ID as String, Byval inputAssessmentHeader3 as AssessmentHeader3) as String

#### **Input Parameters**

| Field Name                | Required | Data Type | Length | Comments/Description                             |
|---------------------------|----------|-----------|--------|--|
| Internal_ID               | Yes      | String    | 20     | The provider's internal client identifier used   |
|                           |          |           |        | at the provider's practice in their internal     |
|                           |          |           |        | systems.   |
| inputAssessmentHeader3    |          |           |        |  |
| Clinician_ID              | Yes      | String    | 25     | The ID of the Clinician, registered and          |
|                           |          |           |        | currently certified, at the provider's practice, |
|                           |          |           |        | responsible for administering the                |
|                           |          |           |        | CANS/ANSA to the consumer.                       |
| Assessment_Date           | Yes      | Date      |        | Format should be: "MM/DD/YYYY"                   |
| Assessment_Reason_Code    | Yes      | Integer   | 4      | 1 = Initial Assessment                           |
|                           |          |           |        | 2 = Reassessment                                 |
|                           |          |           |        | 3 = Transition/Discharge                         |
| Internal_Episode_Code     | Yes      | String    | 25     | The provider's internal episode identifier for   |
|                           |          |           |        | the episode of care for the specified            |
|                           |          |           |        | consumer. Leave this field blank to use          |
|                           |          |           |        | current episode.                                 |
| Internal_Assessment_ID    | No       | String    | 25     | This is the provider's internally assigned       |
|                           |          |           |        | Assessment identifier.                           |
| SMI_Carve_Out             | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| ACT_Indicator             | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Illness_Management        | Yes      | Integer   | 1      | 0 = No, 1 = Yes, w/ Fidelity,                    |
|                           |          |           |        | 2 = Yes w/o Fidelity                             |
| Integrated_Dual_Diagnosis | Yes      | Integer   | 1      | 0 = No, 1 = Yes, w/ Fidelity,                    |
|                           |          |           |        | 2 = Yes w/o Fidelity                             |
| Motivational_Interviewing | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Cognitive_Behavior        | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Matrix_Model              | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Dialectical_Behavior      | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Clubhouse                 | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Peer_Support              | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Family Psychoeducation    | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Medication Management     | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Supported Employment      | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |
| Supported Housing         | Yes      | Integer   | 1      | 0 = No, 1 = Yes                                  |

| Reporting_Field1 | Yes | Integer          | 2 | Number to link with default list or the list<br>you give DARMHA Support<br>(Leave 0 value if not used)           |
|------------------|-----|------------------|---|--|
| Reporting_Field2 | Yes | Integer          | 2 | Number to link with default list or the list you give DARMHA Support (Leave 0 value if not used)                 |
| Answer_ID        | Yes | Integer<br>Array | 4 | This is the identifier provided by DMHA for the corresponding answer of each item/question within the assessment |

Please see ProcessAssessment1 method for return value.

String representing the validation status of each field based from order position.

From left to right: (values 0 = OK, 1 = Error)

## <u>GetAssessmentResults</u>

This method retrieves a list containing the assessment results.

#### [C#]

Public List<AssessmentResultItem> GetAssessmentResults(string Internal\_ID, string Assessment\_Date, string Internal\_Assessment\_ID)

#### [Visual Basic.Net]

Public GetAssessmentResults(Byval Internal\_ID as String, Byval Assessment\_Date as String, Byval Internal\_Assessment\_ID as String) as List<AssessmentResultItem>

#### Input Parameters

| Field Name             | Required | Data Type | Length | Comments/Description                                  |
|------------------------|----------|-----------|--------|---|
| Internal_ID            | Yes      | String    | 20     | The provider's internal client identifier used at the |
|                        |          |           |        | provider's practice in their internal systems.        |
| Assessment_Date        | Yes      | Date      |        | Format should be: "MM/DD/YYYY"                        |
| Internal Assessment ID | No       | String    | 25     | This is the provider's internally assigned Assessment |
|                        |          |           |        | identifier.   |

#### Returns: List<AssessmentResultItem> with Error\_Code field (blank default)

| Error_Code | Value Description                     |
|------------|---------------------------------------|
| 0          | Consumer record not found             |
| -1         | Invalid flow                          |
| -2         | SQL exception                         |
| -3         | Authentication Failed                 |
| -6         | Assessment Date is required           |
| -7         | Invalid Assessment Date (format)      |
| -8         | Future Assessment Date is not allowed |

## <u>GetAssessmentTools</u>

This method returns list of active assessment tool records.

#### [C#]

Public List<AssessmentToolItem> GetAssessmentTools()

#### [Visual Basic.Net]

Public GetAssessmentTool() as List<AssessmentToolItem>

Returns: List<AssessmentToolItem> with Error Code field (blank default)

| Error_Code | Value Description     |
|------------|-----------------------|
| 0          | Tool record not found |
| -1         | Invalid flow          |
| -2         | SQL exception         |
| -3         | Authentication Failed |

#### **GetAssessmentToolQuestions**

This method returns list of questions from specific assessment tool records.

#### [C#]

Public List<AssessmentToolQuestionItem> GetAssessmentToolQuestions(int Tool ID)

## [Visual Basic.Net]

Public GetAssessmentToolQuestions(Byval Tool\_ID as Integer) as List<AssessmentToolQuestionItem>

#### **Input Parameters**

| Field Name | Required | Data Type | Length | Comments/Description  |
|------------|----------|-----------|--------|---|
| Tool_ID    | Yes      | Integer   |        | This identifies which assessment tool definition to retrieve. |

Returns: List<AssessmentToolQuestionItem> with Error\_Code field (blank default)

| Error_Code | Value Description     |
|------------|-----------------------|
| 0          | Tool record not found |
| -1         | Invalid flow          |
| -2         | SQL exception         |
| -3         | Authentication Failed |

## **GetClinicianCertification**

This method retrieves a list of all the active certification for a particular clinician.

#### [C#]

public List<ClinicianCertificationItem> GetClinicianCertification(String Internal\_Staff\_ID)

#### [Visual Basic.Net]

Public GetClinicianCertification(Byval Internal\_Staff\_ID as String) as List<ClinicianCertificationItem>

| Field Name        | Required | Data Type | Length | Comments/Description          |
|-------------------|----------|-----------|--------|-------------------------------|
| Internal_Staff_ID | Yes      | String    | 25     | Clinician's Internal Staff ID |

#### Returns: List<ClinicianCertificationItem> with Error\_Code field (blank default)

| Error_Code | Value Description     |  |
|------------|-----------------------|--|
| -1         | Invalid flow          |  |
| -2         | SQL exception         |  |
| -3         | Authentication Failed |  |

#### **ValidateAnswers**

This method validates if the anssessment answers are complete and returns message.

#### [C#]

public string ValidateAnswers(int[] Answer\_ID)

#### [Visual Basic.Net]

Public ValidateAnswers(Byval Answer\_ID() as Integer) as String

| Field Name | Required | Data Type | Length | Comments/Description  |
|------------|----------|-----------|--------|---|
| Answer_ID  | Yes      | Integer   | 4      | This is the identifier provided by DMHA for the corresponding |
|            |          | Array     |        | answer of each item/question within the assessment            |

#### Returns: String (Blank if answers are complete)

| <br>Actument of this (Brank it answers are complete) |                       |  |  |  |  |
|--|-----------------------|--|--|--|--|
| Value  | Value Description     |  |  |  |  |
| -1   | Invalid flow          |  |  |  |  |
| -2   | SQL exception         |  |  |  |  |
| -3   | Authentication Failed |  |  |  |  |

#### String representing detailed explanation of issue.

#### Example:

No Answers were provided for required Question\_ID(s): 586,664,665,666.

# **Episode Object**

#### **GetLatestEpisode**

This method returns the ID of the consumer's latest Episode of Care for reference.

#### [C#]

public string GetLatestEpisode(string Internal\_ID)

#### [Visual Basic.Net]

Public GetLatestEpisode(Byval Internal\_ID as String) as String

#### **Input Parameters**

| Field Name  | Required | Data Type | Length | Comments/Description   |
|-------------|----------|-----------|--------|--|
| Internal_ID | Yes      | String    | 20     | The provider's internal client identifier used at the provider's |
|             |          |           |        | practice in their internal systems.                              |

#### Returns: String

| Value                 | Value Description  |
|-----------------------|--|
| Internal_Episode_Code | This is the ID of the Consumer's Latest Episode of Care. |
| 0                     | Consumer record not found                                |
| -1                    | Invalid flow   |
| -2                    | SQL exception  |
| -3                    | Authentication Failed                                    |
| -30                   | Consumer has no Episode of Care defined                  |
| -34                   | Latest Episode has no Internal Identifier                |

#### **GetPriorEpisode**

This method returns the ID of the consumer's previous Episode of Care prior to the submitted Episode of Care information for reference.

#### [C#]

public string GetPriorEpisode(string Internal\_ID, string Internal\_Episode\_Code, string Episode\_Start\_Date)

#### [Visual Basic.Net]

Public string GetPriorEpisode(Byval Internal\_ID as String, Byval Internal\_Episode\_Code as String, Byval Episode\_Start\_Date as String) as String

#### **Input Parameters**

| Field Name            | Required | Data Type | Length | Comments/Description   |
|-----------------------|----------|-----------|--------|--|
| Internal_ID           | Yes      | String    | 20     | The provider's internal client identifier used at the provider's   |
|                       |          |           |        | practice in their internal systems.                                |
| Internal_Episode_Code | Yes      | String    | 25     | The provider's internal episode identifier for the episode of care |
|                       |          |           |        | for the specified consumer.  |
| Episode_Start_Date    | No       | Date      |        | Only supply placeholder, used in Secondary Flow only. Format       |
|                       |          |           |        | should be: "MM/DD/YYYY"  |

Returns: String

| Value                 | Value Description  |  |
|-----------------------|--|--|
| Internal_Episode_Code | This is the ID of the Consumer's Prior Episode of Care from the episode id |  |
|                       | submitted  |  |
| 0                     | Consumer record not found  |  |
| -1                    | Invalid flow   |  |
| -2                    | SQL exception  |  |
| -3                    | Authentication Failed  |  |
| -46                   | Consumer has no Prior Episode of Care defined                              |  |
| -31                   | No Episode of Care defined by the supplied criteria                        |  |
| -37                   | Invalid Episode Start Date or Internal Episode ID                          |  |

## <u>GetEpisodeStatus</u>

This method returns current episode status

# [C#]

public string GetEpisodeStatus(string Internal\_ID)

## [Visual Basic.Net]

Public GetEpisodeStatus(Byval Internal\_ID as String) as String

#### **Input Parameters**

| Field Name  | Required | Data Type | Length | Comments/Description   |
|-------------|----------|-----------|--------|--|
| Internal_ID | Yes      | String    | 20     | The provider's internal client identifier used at the provider's |
|             |          |           |        | practice in their internal systems.                              |

Returns: String

| Value        | Value Description  |
|--------------|--|
| 1            | The current episode is open                                    |
| "mm/dd/yyyy" | The current episode is closed and returns the Episode End Date |
| 0            | Consumer record not found                                      |
| -1           | Invalid flow   |
| -2           | SQL exception  |
| -3           | Authentication Failed  |
| -30          | Consumer has no Episode of Care defined                        |

## **GetEpisode**

This method returns consumer's Episode of Care record.

#### [C#]

public Episodeltem GetEpisode (string Internal\_ID, string Internal\_Episode\_Code)

#### [Visual Basic.Net]

Public GetEpisode(Byval Internal\_ID as String, Byval Internal\_Episode\_Code as String) as EpisodeItem

#### **Input Parameters**

| Field Name            | Required | Data Type | Length | Comments/Description   |
|-----------------------|----------|-----------|--------|--|
| Internal_ID           | Yes      | String    | 20     | The provider's internal client identifier used at the provider's   |
|                       |          |           |        | practice in their internal systems.                                |
| Internal_Episode_Code | Yes      | String    | 25     | The provider's internal episode identifier for the episode of care |
|                       |          |           |        | for the specified consumer.  |

#### Returns: Episodeltem with Error\_Code field (blank default)

| Error_Code | Value Description                                 |
|------------|---|
| 0          | Consumer record not found                         |
| -1         | Invalid flow                                      |
| -2         | SQL exception                                     |
| -3         | Authentication Failed                             |
| -30        | Consumer has no episode of care defined           |
| -86        | Duplicate internal episode code exist in consumer |

#### **GetEpisodeList**

This method returns list of the consumer's Episode of Care.

#### [C#]

public List<EpisodeItem> GetEpisodeList(string Internal\_ID)

## [Visual Basic.Net]

Public GetEpisodeList(Byval Internal\_ID as String) as List<EpisodeItem>

#### **Input Parameters**

| Field Name  | Required | Data Type | Length | Comments/Description   |
|-------------|----------|-----------|--------|--|
| Internal_ID | Yes      | String    | 20     | The provider's internal client identifier used at the provider's |
|             |          |           |        | practice in their internal systems.                              |

#### Returns: List<EpisodeItem> with Error\_Code field (blank default)

| Error_Code | Value Description         |
|------------|---------------------------|
| 0          | Consumer record not found |
| -1         | Invalid flow              |
| -2         | SQL exception             |
| -3         | Authentication Failed     |

## **CloseEpisode**

This method closes the consumer's currently open episode of care.

#### [C#]

public string CloseEpisode(string Internal\_ID, string Internal\_Episode\_Code, string Episode\_End\_Date, int Episode\_Status\_Code)

## [Visual Basic.Net]

Public CloseEpisode(Byval Internal\_ID as String, Byval Internal\_Episode\_Code as String, Byval Episode\_End\_Date as String, Byval Episode\_Status\_Code as Integer) as String

#### **Input Parameters**

| Field Name            | Required                                   | Data Type | Length | Comments/Description  |
|-----------------------|--|-----------|--------|---|
| Internal_ID           | Yes  | String    | 20     | The provider's internal client identifier used at the provider's practice in their internal systems.  |
| Internal_Episode_Code | Yes  | String    | 25     | The provider's internal episode identifier for the episode of care for the specified consumer.  |
| Episode_End_Date      | Yes  | Date      |        | Date the Episode is to be marked as closed.  Required format: "MM/DD/YYYY"  |
| Episode_Status        | Yes  | Integer   |        | This represents any special circumstance or condition that may exist as a continuing factor in the consumer's episode OR affect the end of the consumer's episode.  3 = Service Completed 4 = Consumer Dropped/Opted Out 5 = Death 6 = Moved out of Service Area 7 = Incarcerated (treatment has stopped) 8 = Entered Nursing Home (treatment has stopped) 9 = Administrative Discharge |
| Death_Date            | Yes, if<br>episode<br>status is<br>"Death" | Date      |        | No future dates and date of death should be after the episode start date.  Required format: "MM/DD/YYYY"  |

## Returns: String

| Value | Value Description  |
|-------|--|
| 1     | Episode Closed Successfully  |
| 0     | Consumer record not found  |
| -1    | Invalid flow   |
| -2    | SQL exception  |
| -3    | Authentication Failed  |
| -31   | No open Episode of Care defined by the supplied criteria                           |
| -35   | Invalid Episode_Status_Code  |
| -38   | Invalid Episode Close Date   |
| -68   | Episode cannot be closed on the same date the Agreement Type have changed          |
| -70   | Episode must be open for at least one day  |
| -86   | Duplicate internal episode code exist in consumer                                  |
| -102  | Consumer's date of death is required if "Death (5)" is selected in episode status. |
| -106  | Episode Death Date cannot be before date of last supporting record (Assessment,    |
|       | Diagnosis, Encounter, NOMS, etc.)  |

## *InsertEpisode*

This method creates a new episode of care for the indicated consumer.

## [C#]

public string InsertEpisode(string Internal\_ID, Episode inputEpisode)

## [Visual Basic.Net]

Public InsertEpisode(Byval inputEpisode as String, Byval inputEpisode as Episode) as String

## **Input Parameters**

| Field Name            | Required   | Data<br>Type | Length | Comments/Description   |
|-----------------------|--|--------------|--------|--|
| Internal_ID           | Yes  | String       | 20     | This is the provider's internal client identifier used at the provider's practice in their internal systems.   |
| InputEpisode          |  | •            | •      |  |
| Internal_Episode_Code |  | String       | 25     | The provider's internal episode identifier for the episode of care for the specified consumer.   |
| Episode_Start_Date    | Yes, on episode creation only, cannot be edited        | Date         |        | Date the consumer's episode of care began (MM/DD/YYYY)   |
| Episode_End_Date      | No,<br>except when<br>closing an<br>episode of<br>care | Date         |        | Date the consumer's episode of care ended (MM/DD/YYYY)   |
| Medicaid_Active       | Yes  | Integer      |        | Does the consumer have Medicaid or HIP that is active?<br>0 = No, 1 = Yes  |
| Marital_Status        | Yes  | Integer      |        | If Yes, Medicaid ID in Consumer data is required.  1 = Single 2 = Married/Living together 3 = Widowed 4 = Divorced 5 = Married separated   |
| County                | Yes  | Integer      |        | Numerical county identifier  |
| Foodstamps            | Yes  | Integer      |        | Is the consumer currently receiving Food Stamps?  0 = No, 1 = Yes  |
| Referral_Source       | Yes  | Integer      |        | 1 = Individual/Self 2 = Alcohol/Drug Abuse Care Provider 3 = Health Care, Other 4 = School (Educational) 5 = Employer/Employee Assistance Program 6 = Other Community Referral 7 = Court/Criminal Justice 8 = Referral from Child Welfare/Department of Child Services (DCS) |

| Legal_Basis            | Yes, if Source of Referral = 7 otherwise list as -3                | Integer | 1 = State/Federal Court 2 = Other Court (not State or Federal) 3 = Probation/Parole 4 = Other Recognized Legal Entity (E.G. local law enforcement agency, corrections agency, youth services, review board/agency) 5 = Diversionary Program (e.g., TASC) 6 = Prison 7 = DUI/DWI 8 = Other |
|------------------------|--|---------|---|
| Military_Served        | Yes, if<br>consumer is<br>under 18 mark<br>as -3 Not<br>Applicable | Integer | The consumer served in one of the branches of the military, including the National Guard.  0 = No, 1 = Yes, -3 = Not Applicable   |
| Military_Veteran       | Yes, if Served is 0 then list 0. If served is -3 then list as -3.  | Integer | The consumer is considered to be a veteran.  0 = No, 1 = Yes, -3 = Not Applicable   |
| Military_Deployed      | Yes, if Served is 0 then list 0. If served is -3 then list as -3.  | Integer | The consumer has been deployed in the past.  0 = No , 1 = Yes , -3 = Not Applicable   |
| Military_Combat        | Yes, if Served is 0 then list 0. If served is -3 then list as -3.  | Integer | The consumer served in combat.  0 = No, 1 = Yes, -3 = Not Applicable  |
| Military_Family        | Yes  | Integer | A member of the consumer's immediate family served in the military.  0 = No, 1 = Yes  |
| Consumer_Disability    | Yes  | Integer | -2 = None 2 = Blind 3 = MR/DD 4 = Deaf 5 = Mute 6 = Non-ambulatory 7 = Other Physical/Medical 8 = Neurological Impairment 9 = Learning or reading disabilities 11 = Traumatic Brain Injury 12 = Hard of Hearing   |
| TANF                   | Yes  | Integer | Is the consumer enrolled in TANF?  0 = No, 1 = Yes  |
| Health_Insurance       | Yes  | Integer | -2 = None 1 = Private Insurance 4 = Medicaid 5 = Medicare 6 = Other 10 = HIP 11 = TRI Care 12 = Medicaid and Medicare   |
| Insurance_History_Date | Yes  | Date    | Date the consumer's health insurance changes. Episode Start Date is default if blank.   |

| Family_Size        | Yes, Must be at least one  | Integer | Number of individual supported by the adjusted family income. Maximum value is 30.   |
|--------------------|--|---------|--|
| Adjusted_Income    | Yes  | Integer | Annual family income - Maximum of six digits – Cannot be a negative number.  |
| Episode_Status     | Yes * Indicates an Episode End Date is required.                             | Integer | 1 = Consumer in treatment 3 = Service Completed* 4 = Consumer Dropped/Opted Out* 5 = Death* 6 = Moved out of Service Area* 7 = Incarcerated (treatment has stopped)* 8 = Entered Nursing Home (treatment has stopped)* 9 = Administrative Discharge* 10 = DMHA Administrative Discharge (DMHA use only)* |
| Prior_SAEpisodes   | Yes  | Integer | The number of prior Substance Abuse Episodes Value should be 0 - 30  |
| Dependent_Children | Yes  | Integer | Does the consumer have dependent children? 0 = No, 1 = Yes   |
| DSC_Status         | Yes  | Integer | 0 = Not a DMHA Supported Consumer – This is the default. 1 = DMHA Supported Consumer 2 = DMHA Supported Consumer - Medication Only Note: Changing this status at episode close is not allowed.   |
| DSC_Start_Date     | No, except when the HAP Status is changed, a date will be required.          | Date    | For new episodes, this field will be automatically populated with the episode start date. When the status is changed, a date will be required. No future dates, no date before the Episode Start Date and no date before a previous DMHA Supported Consumer Status Start Date are allowed.               |
| Death_Date         | No, except if Episode Status is changed to "Death", a date will be required. | Date    | For new episodes, this field should be skipped or blank. Any values submitted will be ignored. When the status is updated to "Death", a date will be required. No future dates and date of death should be after the episode start date.   |

Returns: String

| Value | Value Description  |
|-------|--|
| 1     | Episode Inserted Successfully  |
| 0     | Consumer record not found  |
| -1    | Invalid flow   |
| -2    | SQL exception  |
| -3    | Authentication Failed  |
| -32   | Existing Open Episode of Care Exists; cannot create second open episode without closing first. |
| -35   | Invalid Episode_Status_Code  |
| -80   | Medicaid ID is required if Medicaid status is active or Medicaid ID format is invalid.         |
| -81   | When Served is "Yes," Veteran, Deported and Combat questions cannot be "Not Applicable."       |
| -86   | Duplicate internal episode code exist in consumer  |
| -101  | Date of new records cannot be six months prior to current date                                 |

## String representing the validation status of each field based from order position.

From left to right: (values 0 = OK, 1 = Error)

## <u>UpdateEpisode</u>

This method updates an existing episode of care for the indicated consumer.

#### [C#]

public string UpdateEpisode(string Internal\_ID, Episode inputEpisode)

#### [Visual Basic.Net]

Public UpdateEpisode(Byval Internal\_ID as String, Byval inputEpisode as Episode) as String

#### **Input Parameters**

| Field Name   | Required | Data Type | Length | Comments/Description   |
|--------------|----------|-----------|--------|--|
| Internal_ID  | Yes      | String    | 20     | This is the provider's internal client identifier used at the provider's practice in their internal systems. |
| InputEpisode | Yes      | Class     |        | Please see inputEpisode parameters in InsertEpisode method.  |

#### **Returns: String**

| Value | Value Description   |
|-------|---|
| 1     | Episode Updated Successfully  |
| 0     | Consumer record not found   |
| -1    | Invalid flow  |
| -2    | SQL exception   |
| -3    | Authentication Failed   |
| -33   | No Episode of Care exists, use Insert instead of Update   |
| -35   | Invalid Episode_Status_Code   |
| -53   | Invalid DSC Start Date  |
| -54   | Invalid DSC Status Value  |
| -55   | Reopened episode must remain open for 24 hours  |
| -47   | Episode Closed longer 180 days - cannot modify  |
| -68   | Episode cannot be closed on the same date the Agreement Type have changed   |
| -70   | Episode must be open for at least one day   |
| -80   | Medicaid ID is required if Medicaid status is active or Medicaid ID format is invalid.                            |
| -81   | When Served is "Yes," Veteran, Deported and Combat questions cannot be "Not Applicable."                          |
| -86   | Duplicate Internal Episode Code exist in Consumer   |
| -88   | DSC status cannot change at episode closing   |
| -102  | Consumer's date of death is required if "Death (5)" is selected in episode status.                                |
| -105  | Episode status with "DMHA Administrative Discharge" cannot be reopened.   |
| -106  | Episode Death Date cannot be before date of last supporting record (Assessment, Diagnosis, Encounter, NOMS, etc.) |

#### String representing the validation status of each field based from order position.

From left to right: (values 0 = OK, 1 = Error)

# **Encounter Object**

## <u>InsertEncounter</u>

This method inserts an Encounter/Service into the default or specified Episode of Care.

## [C#]

public string InsertEncounter(string Internal\_ID, string Internal\_Episode\_Code, Encounter inputEncounter)

#### [Visual Basic.Net]

Public InsertEncounter(Byval Internal\_ID as String, Byval Internal\_Episode\_Code as String, Byval inputEncounter as Encounter) as String

#### **Input Parameters**

| Field Name            | Required         | Data Type | Length | Comments/Description                                       |
|-----------------------|------------------|-----------|--------|--|
| Internal_ID           | Yes              | String    | 20     | The provider's internal client identifier used at the      |
|                       |                  |           |        | provider's practice in their internal systems.             |
| Internal_Episode_Code | Yes              | String    | 25     | The provider's internal episode identifier for the episode |
|                       |                  |           |        | of care for the specified consumer. Leave this field blank |
|                       |                  |           |        | to use current episode record.                             |
| inputEncounter        |                  |           |        |  |
| Service_Date          | Yes              | Date      |        | Date the service was provided. Required format:            |
|                       |                  |           |        | "MM/DD/YYYY"   |
| Location_ID*          | Yes, If Location | String    |        | DMHA provides this ID for each of your facilities.         |
|                       | Type is 1 (at    |           |        | *Use blank, any valid Location ID or your DMHA Provider    |
|                       | Facility)        |           |        | ID for Location Types (2-5).                               |
| Procedure_Code        | Yes              | String    | 6      | Standard Current Procedural Terminology Codes (CPT) or     |
|                       |                  |           |        | Healthcare Common Procedure Coding System (HCPCS)          |
|                       |                  |           |        | codes.   |
| Modifier 1            | No               | String    | 2      | Modifier code for procedure.                               |
| Modifier 2            | No               | String    | 2      | Modifier code for procedure.                               |
| Modifier 3            | No               | String    | 2      | Modifier code for procedure.                               |
| Modifier 4            | No               | String    | 2      | Modifier code for procedure.                               |
| Units                 | Yes              | Integer   |        | The number of units of the procedure supplied above,       |
|                       |                  |           |        | must be greater than 0 - no partial units accepted –       |
|                       |                  |           |        | Maximum value is 999.                                      |
| Internal_Service_ID   | Required data    | String    | 25     | The providers internal identifier for this rendered        |
|                       | field in order   |           |        | service.   |
|                       | to edit or       |           |        |  |
|                       | delete an        |           |        |  |
|                       | encounter        |           |        |  |

<sup>\*</sup>Will be optional if encounter date is before 7/1/2016.

## Returns: String

| Value | Value Description   |
|-------|---|
| 1     | Encounter Inserted Successfully.  |
| 0     | Consumer record not found.  |
| -1    | Invalid flow.   |
| -2    | SQL exception.  |
| -3    | Authentication Failed.  |
| -20   | Field(s) with Error.  |
| -31   | Invalid Episode of Care specified or no Default Open Episode of Care available. |
| -36   | Service Outside Episode of Care Bounds.   |
| -59   | Internal Service ID already exists; record skipped.                             |

| -71  | New Data can only be added for 180 days after the Episode End Date.           |
|------|---|
| -74  | Records can only be updated for 180 days after the submission date to DARMHA. |
| -98  | Main Service Setting Type code does not match with agreement type.            |
| -99  | A Diagnosis/Agreement Type record is required before submitting an encounter. |
| -107 | Modifier code is invalid or required.   |

## String representing the validation status of each field based from order position.

From left to right: (values 0 = OK, 1 = Error)

An error on Procedure Code will return: 00000100000

#### <u>UpdateEncounter</u>

This method updates an existing Consumer Encounter record.

#### [C#]

public string UpdateEncounter(string Internal\_ID, string Internal\_Episode\_Code, Encounter inputEncounter)

#### [Visual Basic.Net]

Public UpdateEncounter(Byval Internal\_ID as String, Byval Internal\_Episode\_Code as String, Byval inputEncounter as Encounter) as String

#### **Input Parameters**

| Field Name            | Required | Data Type | Length | Comments/Description   |
|-----------------------|----------|-----------|--------|--|
| Internal_ID           | Yes      | String    | 20     | The provider's internal client identifier used at the  |
|                       |          |           |        | provider's practice in their internal systems.   |
| Internal_Episode_Code | Yes      | String    | 25     | The provider's internal episode identifier for the episode of care for the specified consumer. Leave this field blank to use current episode record. |
| inputEncouter         | Yes      | Class     |        | Please see inputEncounter parameters in EncounterInsert.   |

#### Returns: String

| Value | Value Description  |
|-------|--|
| 1     | Encounter Updated Successfully   |
| 0     | Consumer record not found  |
| -1    | Invalid flow   |
| -2    | SQL exception  |
| -3    | Authentication Failed  |
| -31   | Invalid Episode of Care specified or no Default Open Episode of Care available               |
| -40   | No Service Record found by supplied Internal Service ID                                      |
| -60   | Internal Service ID is required  |
| -67   | Encounter record can only be updated or deleted for 180 days after the date of submission to |
|       | DARMHA   |
| -98   | Main Service Setting Type code does not match with agreement type.                           |
| -99   | A Diagnosis/Agreement Type record is required before submitting an encounter.                |
| -107  | Modifier code is invalid or required.  |

#### String representing the validation status of each field based from order position.

From left to right: (values 0 = OK, 1 = Error)

An error on Procedure\_Code will return: 000001000000

## <u>DeleteEncounter</u>

This method removes a consumer Encounter/Service record.

#### [C#]

public string DeleteEncounter(string Internal\_ID, string Internal\_Episode\_Code, string Internal\_Service\_ID)

#### [Visual Basic.Net]

Public DeleteEncounter(Byval Internal\_ID as String, Byval Internal\_Episode\_Code as String, Byval Internal\_Service\_ID as String) as String

#### **Input Parameters**

| Field Name            | Required | Data Type | Length | Comments/Description   |
|-----------------------|----------|-----------|--------|--|
| Internal_ID           | Yes      | String    | 20     | This is the provider's internal client identifier used at the  |
|                       |          |           |        | provider's practice in their internal systems.                 |
| Internal_Episode_Code | Yes      | String    | 25     | The provider's internal episode identifier for the episode of  |
|                       |          |           |        | care for the specified consumer.                               |
| Internal_Service_ID   | Yes      | String    | 20     | This is the provider's internally supplied identifier for this |
|                       |          |           |        | specific service rendered.                                     |

#### Returns: String

| Value | Value Description  |
|-------|--|
| 1     | Encounter Deleted Successfully   |
| 0     | Consumer record not found  |
| -1    | Invalid flow   |
| -2    | SQL exception  |
| -3    | Authentication Failed  |
| -31   | Invalid Episode of Care specified or no Default Open Episode of Care available               |
| -40   | No Service Record found by supplied Internal Service ID                                      |
| -60   | Internal Service ID is required  |
| -67   | Encounter record can only be updated or deleted for 180 days after the date of submission to |
|       | DARMHA   |

## <u>GetEncounter</u>

This method retrieves a Consumer Encounter information into the EncounterItem class object.

### [C#]

public EncounterItem GetEncounter(string Internal\_ID, string Internal\_Episode\_Code, string Internal\_Service\_ID)

#### [Visual Basic.Net]

Public GetEncounter(Byval Internal\_ID as String, Byval Internal\_Episode\_Code as String, Byval Internal\_Service\_ID as String) as EncounterItem

#### **Input Parameters**

| Field Name            | Required | Data Type | Length | Comments/Description   |
|-----------------------|----------|-----------|--------|--|
| Internal_ID           | Yes      | String    | 20     | This is the provider's internal client identifier used at the provider's practice in their internal systems. |
| Internal_Episode_Code | Yes      | String    | 25     | The provider's internal episode identifier for the episode of care for the specified consumer.               |
| Internal_Service_ID   | Yes      | String    | 20     | This is the provider's internally supplied identifier for this specific service rendered.                    |

### Returns: **EncounterItem** with Error\_Code field (blank default)

| Error_Code | Value Description   |
|------------|---|
| 0          | Service record not found  |
| -1         | Invalid flow  |
| -2         | SQL exception   |
| -3         | Authentication Failed   |
| -40        | No service record found related to supplied Internal Service ID |
| -60        | Internal Service ID is required                                 |

# **Diagnosis & Agreement Type Object**

# <u>InsertDiagnosisAgreementType</u>

This method inserts a Diagnosis History Record into the default or specified Episode of Care.

### [C#]

public string InsertDiagnosisAgreementType(string Internal\_ID, string Internal\_Episode\_Code, DiagnosisAgreementType
inputDiagnosisAgreementType)

### [Visual Basic.Net]

Public InsertDiagnosisAgreementType(Byval Internal\_ID as String, Byval Internal\_Episode\_Code as String, Byval inputDiagnosisAgreementType as DiagnosisAgreementType) as String

#### **Input Parameters**

| Field Name  | Required | Data<br>Type | Length | Comments/Description  |
|---|----------|--------------|--------|---|
| Internal_ID   | Yes      | String       | 20     | This is the provider's internal client identifier used at     |
|   |          |              |        | the provider's practice in their internal systems.            |
| Internal_Episode_Code   | Yes      | String       | 25     | The provider's internal episode identifier for the            |
|   |          |              |        | episode of care for the specified consumer. Leave this        |
|   |          |              |        | field blank to use current episode.                           |
| Input Diagnosis Agreement Type Type Type Type Type Type Type Type | oe       |              |        |   |
| Diagnosis_Date  | Yes      | Date         |        | Date of consumer's diagnosis and agreement type (MM/DD/YYYY). |
| Primary_Diagnosis1  | Yes      | String       | 8      | Behavioral Health Diagnoses (DSM 5 or ICD 10)                 |
| Diagnosis2  | No       | String       | 8      | Same as above   |
| Diagnosis3  | No       | String       | 8      | Same as above   |
| Diagnosis4  | No       | String       | 8      | Same as above   |
| Diagnosis5  | No       | String       | 8      | Same as above   |
| SOGS  | No       | Integer      |        | South Oaks Gambling Score.                                    |
|   |          |              |        | Accepted values are from 0 – 20. Required for                 |
|   |          |              |        | consumers with Gambling funding type. If no SOGS              |
|   |          |              |        | score, you can code -2 (None).                                |
| HC_Diabetes   | Yes      | Integer      |        | 0 = No, 1 = Yes   |
| HC_Cardiovascular   | Yes      | Integer      |        | 0 = No, 1 = Yes   |
| HC_Hypertension   | Yes      | Integer      |        | 0 = No, 1 = Yes   |
| HC_Hyperlipidemia   | Yes      | Integer      |        | 0 = No, 1 = Yes   |
| HC_Cancer   | Yes      | Integer      |        | 0 = No, 1 = Yes   |
| HC_Smoking  | Yes      | Integer      |        | 0 = No, 1 = Yes   |
| HC_Obesity  | Yes      | Integer      |        | 0 = No, 1 = Yes   |
| HC_Asthma   | Yes      | Integer      |        | 0 = No, 1 = Yes   |
| HC_COPD   | Yes      | Integer      |        | 0 = No, 1 = Yes   |
| Agreement_Type  | Yes      | Integer      |        | 1 = SMI   |
|   |          |              |        | 2 = SED   |
|   |          |              |        | 3 = CA  |
|   |          |              |        | SED Consumers must be less than 18 years old. SMI             |
|   |          |              |        | consumer must be at least 18 years old. Starting 7/1,         |
|   |          |              |        | when changing a consumer to a CA agreement type, a            |
|   |          |              |        | primary drug is required in NOMs record.                      |
| Specialized_Treatment   | No       | Integer      |        | -2 = None   |
|   |          |              |        | 2 = Deaf Services   |
|   |          |              |        | 5 = Gambling Treatment  |

| Agreement_Change | Yes, 3 must<br>have | Integer | 1 = Initial 2 = Refined Diagnosis |
|------------------|---------------------|---------|-----------------------------------|
|                  | Specialized         |         | 3 = Special Funding Requested     |
|                  | Treatment           |         |                                   |
|                  | of 2                |         |                                   |

Returns: String

| Value | Value Description   |
|-------|---|
| 1     | Diagnosis History Inserted Successfully   |
| 2     | Diagnosis History Updated Successfully  |
| 0     | Consumer record not found   |
| -1    | Invalid flow  |
| -2    | SQL exception   |
| -3    | Authentication Failed   |
| -31   | Invalid Episode of Care specified or no Default Open Episode of Care available                      |
| -63   | Funding has been requested for this record; it cannot be overwritten                                |
| -69   | Deferred Diagnosis is not allowed as the Primary Diagnosis  |
| -71   | New Data can only be added for 180 days after the Episode End Date                                  |
| -73   | Primary Diagnosis and Agreement Type does not match   |
| -74   | Records can only be updated for 180 days after the submission date to DARMHA                        |
| -75   | Special Funding Requested should have an Specialized Treatment of Deaf Services or Opioid Treatment |
| -87   | Duplicate use of Diagnosis Code is not allowed  |
| -90   | Diagnosis Codes must be submitted in order without blank entries in between                         |
| -104  | NOMS record (as of diagnosis date) with primary drug is required if agreement type is CA (3).       |

String representing the validation status of each field based from order position.

# *ValidateDiagnosisCode*

This method returns the correct identifier to submit for a specific Diagnosis Code.

#### [C#]

public int ValidateDiagnosisCode(string Diagnosis\_Code)

### [Visual Basic.Net]

Public ValidateDiagnosisCode(Byval Diagnosis\_Code as String) as Integer

#### **Input Parameters**

| Field Name     | Required | Data Type | Length | Comments/Description   |
|----------------|----------|-----------|--------|--|
| Diagnosis_Code | Yes      | String    | 8      | Supply a standard DSM IV Diagnosis Code to retrieve the        |
|                |          |           |        | expected identifier. Typical format for this input is "999.99" |

#### Returns: Integer

| Value | Value Description             |
|-------|-------------------------------|
| > 0   | Diagnosis Identifier          |
| 0     | Diagnosis Code not recognized |
| -1    | Invalid flow                  |
| -2    | SQL exception                 |
| -3    | Authentication Failed         |

### GetDiagnosisList

This method returns a list of Diagnosis Codes.

### [C#]

public List<DiagnosisCodeItem> GetDiagnosisList()

#### [Visual Basic.Net]

Public GetDiagnosisList() as List<DiagnosisCodeItem>

Returns: List<DiagnosisCodeItem> with Error\_Code field (blank default)

| Error_Code | Value Description     |
|------------|-----------------------|
| -1         | Invalid flow          |
| -2         | SQL exception         |
| -3         | Authentication Failed |

#### <u>GetLatestAgreementType</u>

This method returns latest agreement type as of service date.

#### [C#]

Public int GetLatestAgreementType(string Internal\_ID, string Internal\_Episode\_Code, string Encounter\_Date)

# [Visual Basic.Net]

Public GetLatestAgreementType(Byval Internal\_ID as String, Byval Internal\_Episode\_Code as String, Byval Encounter\_Date as String) as int

#### Returns: Integer

| Error_Code | Value Description                         |
|------------|---|
| 0          | Consumer record is not found.             |
| -1         | Invalid flow.                             |
| -2         | SQL exception.                            |
| -3         | Authentication Failed.                    |
| -30        | Internal Episode code is not found.       |
| -46        | No Prior Episode of Care Defined.         |
| -100       | No Diagnosis/Agreement Type record exist. |

# **NOMS Object**

### <u>InsertNOMSHistory</u>

This method inserts a NOMS History Record into the default or specified Episode of Care.

# [C#]

public string InsertNOMS (string Internal\_ID, string Internal\_Episode\_Code, NOMS inputNOMS)

# [Visual Basic.Net]

Public InsertNOMS(Internal\_ID as String, Byval Internal\_Episode\_Code as String, Byval inputNOMS as NOMS) as String

# **Input Parameters**

| Field Name            | Required    | Data Type | Length | Comments/Description                                      |
|-----------------------|-------------|-----------|--------|---|
| Internal_ID           | Yes         | String    | 20     | This is the provider's internal client identifier used at |
|                       |             |           |        | the provider's practice in their internal systems.        |
| Internal_Episode_Code | Yes         | String    | 25     | The provider's internal episode identifier for the        |
|                       |             |           |        | episode of care for the specified consumer. Leave this    |
|                       |             |           |        | field blank to use current episode.                       |
| inputNOMS             |             |           |        |   |
| NOMS_Date             | Yes         | Date      |        | Date the NOMS history is obtained. (MM/DD/YYYY).          |
| Reason_Code           | Yes, One    | Integer   |        | The associated event for the capturing of the NOMS        |
|                       | Initial and |           |        | History.  |
|                       | one         |           |        | 1 = Initial   |
|                       | Discharge   |           |        | 2 = Reassessment  |
|                       | per Episode |           |        | 3 = Discharge   |
| Education_Level       | Yes         | Integer   |        | 0 = No formal schooling                                   |
|                       |             |           |        | 1 = First Grade   |
|                       |             |           |        | 2 = Second Grade  |
|                       |             |           |        | 3 = Third Grade   |
|                       |             |           |        | 4 = Fourth Grade  |
|                       |             |           |        | 5 = Fifth Grade   |
|                       |             |           |        | 6 = Sixth Grade   |
|                       |             |           |        | 7 = Seventh Grade   |
|                       |             |           |        | 8 = Eighth Grade  |
|                       |             |           |        | 9 = Ninth Grade   |
|                       |             |           |        | 10 = Tenth Grade  |
|                       |             |           |        | 11 = Eleventh Grade                                       |
|                       |             |           |        | 12 = High School Graduate                                 |
|                       |             |           |        | 13 = One Yr Of College Completed                          |
|                       |             |           |        | 14 = 2 Yrs Of College Completed/2 Yr Associate            |
|                       |             |           |        | Degree  |
|                       |             |           |        | 15 = 3 Yrs Of College Completed                           |
|                       |             |           |        | 16 = College Graduate/4 Yr                                |
|                       |             |           |        | 21 = Post-secondary Vocational Skills Training            |
|                       |             |           |        | 23 = Nursery School / Preschool                           |
|                       |             |           |        | 24 = Kindergarten   |
|                       |             |           |        | 25 = Self-contained Special Education (no equivalent      |
|                       |             |           |        | grade level).   |
|                       |             |           |        | 70 = Graduate or Professional School                      |
| School_Attendance     | Yes         | Integer   |        | Yes or No answer required for children ages 3-17.         |
| _                     |             |           |        | 1 = Yes, consumer has attended school at any time         |

|                    |                | I       |  |
|--------------------|----------------|---------|--|
|                    |                |         | in the past three months                                 |
|                    |                |         | 0 = No, consumer has not attended school at any          |
|                    |                |         | time in the past three months                            |
|                    |                |         | -3 = Not applicable (use for infants and adults)         |
| Employment         | Yes            | Integer | 1 = Unemployed, Looking For work                         |
|                    |                |         | 2 = Unemployed, Not In Labor Force (community)           |
|                    |                |         | 3 = Employed - Full Time (35+ Hours/week)                |
|                    |                |         | 4 = Employed - Part Time(1 - 5 hours)                    |
|                    |                |         | 5 = Employed - Part Time(6 - 10 hours)                   |
|                    |                |         | 6 = Employed - Part Time(11 - 15 hours)                  |
|                    |                |         | 7 = Employed - Part Time(16 - 20 hours)                  |
|                    |                |         | 8 = Employed - Part Time(21 - 34 hours)                  |
| Employment_Detail  | Yes            | Integer | -3 = Not Applicable (this is not an option if Employment |
| . , _              |                |         | Status = 2)  |
|                    |                |         | 1 = Homemaker  |
|                    |                |         | 2 = Student  |
|                    |                |         | 3 = Retired  |
|                    |                |         | 4 = Disabled   |
|                    |                |         | 5 = Inmate of Institution                                |
|                    |                |         | 6 = Other  |
| Roles_Score        | Yes, if        | Integer | -3 = Not Applicable                                      |
| Koles_3core        | consumer is    | integer | 1 = Homeless   |
|                    |                |         |  |
|                    | less than 18   |         | 2 = Independent  |
|                    | years old;     |         | 3 = Biological Family                                    |
|                    | list           |         | 4 = School Dormitory                                     |
|                    | as -3 if the   |         | 5 = Relative's home/Adopted                              |
|                    | consumer is    |         | 6 = Supervised Independent                               |
|                    | 18 or older.   |         | 7 = Foster Care  |
|                    |                |         | 8 = Therapeutic Foster Care                              |
|                    |                |         | 9 = Individual Home/Group Emergency Shelter              |
|                    |                |         | 10 = Group Home  |
|                    |                |         | 11 = Residential Treatment Center                        |
|                    |                |         | 12 = Medical Hospital (non-psychiatric)                  |
|                    |                |         | 13 = Intensive Treatment Unit                            |
|                    |                |         | 14 = State Hospital                                      |
|                    |                |         | 15 = Juvenile Detention                                  |
|                    |                |         | 16 = Jail/Prison   |
| Living_Arrangement | Yes, if the    | Integer | -3 = Not Applicable                                      |
|                    | consumer is    | _       | 1 = Homeless   |
|                    | 18 years old   |         | 2 = Residential Facility                                 |
|                    | or older; list |         | 3 = Independent Living                                   |
|                    | as -3 if the   |         | 4 = Jail/Correctional Facility                           |
|                    | consumer is    |         | 5 = Supported Living                                     |
|                    | younger        |         | 6 = Person In Foster Care/Foster Home                    |
|                    | than           |         | 7 = Inpatient Hospital                                   |
|                    | 18.            |         | 8 = State Institution SOF                                |
|                    | 10.            |         | 10 = Other   |
|                    |                |         | 12 = Crisis Residential and Sub-Acute Stabilization      |
|                    |                |         |  |
|                    |                |         | 13 = Nursing Home<br>14 = Shelter Facility               |
| Housing Catagory   | Voc            | Integer |  |
| Housing_Category   | Yes            | Integer | 1 = Permanent Housing                                    |
|                    |                |         | 2 = Temporary Housing                                    |
|                    |                |         | 3 = Institutional Housing                                |
|                    |                |         | 4 = Homeless   |

| Housing_Stability           | Yes                                     | Integer | 1 = Less than 6 months                                     |
|-----------------------------|---|---------|--|
| 110 d318_3td3ty             |   | egei    | 2 = 6 months to one year                                   |
|                             |   |         | 3 = One to two years                                       |
|                             |   |         | 4 = More than 2 years                                      |
| Residential_Support_Level   | Yes, if                                 | Integer | -3 = Not Applicable  |
| Residential_Support_Level   | Housing                                 | integer | 1 = Residential Support not needed or not provided         |
|                             | Category is                             |         | 2 = Living with person(s) who provide supportive           |
|                             | 1 or 2;                                 |         | services in the home that are needed                       |
|                             | otherwise                               |         | 3 = Access to paid support in the consumer's               |
|                             | list as -3                              |         | residence as needed  |
|                             | 1130 43 -3                              |         | 4 = Access to paid support in the consumer's               |
|                             |   |         | residence 5 or more days per week for up to 8 hrs          |
|                             |   |         | 5 = Access to paid support in the consumer's               |
|                             |   |         | residence 5 or more days per week for 9 to 16 hrs          |
|                             |   |         | 6 = Access to paid support in the consumer's               |
|                             |   |         | residence 24 hours a day, 7 days per week.                 |
| Community_Integration_Level | Yes, if                                 | Integer | -3 = Not Applicable  |
| Community_integration_tever |   | integer | 1 ''   |
|                             | Housing                                 |         | 1 = Living environment is fully integrated in the          |
|                             | Category is                             |         | community  |
|                             | 1 or 2;<br>otherwise                    |         | 2 = Living environment is home to persons with             |
|                             |   |         | mental health/addiction issues, persons with other         |
|                             | list as -3                              |         | disabilities, and persons without identified disabilities. |
|                             |   |         |  |
|                             |   |         | 3 = Living environment is home to persons with mental      |
|                             | . · · · · · · · · · · · · · · · · · · · |         | health/addiction issues only.                              |
| Homeless_Services           | Yes, if                                 | Integer | -3 = Not Applicable  |
|                             | Housing                                 |         | 1 = Daily  |
|                             | Category =                              |         | 2 = Weekly   |
|                             | 4;                                      |         | 3 = Monthly  |
|                             | otherwise                               |         | 4 = Less frequently  |
|                             | list                                    |         | 5 = None   |
|                             | as -3                                   |         | 6 = Consumer refuses assistance                            |
| Primary_Substance           | Yes                                     | Integer | See Section 5  |
|                             |   |         | "None" cannot be used for primary substance for            |
|                             |   |         | Agreement Type CA.   |
| Primary_Route               | Yes                                     | Integer | -3 = Not Applicable – This can only be used if None (-2)   |
|                             |   |         | was listed for drug.                                       |
|                             |   |         | 1 = Oral   |
|                             |   |         | 2 = Smoked   |
|                             |   |         | 3 = Inhaled  |
|                             |   |         | 4 = Injection  |
|                             |   |         | 5 = Other  |
| Primary_Frequency           | Yes                                     | Integer | -3 = Not Applicable – This can only be used if None (-2)   |
|                             |   |         | was listed for drug.                                       |
|                             |   |         | 1 = None in the past month                                 |
|                             |   |         | 2 = One - three time in the                                |
|                             |   | 1       | past month   |
|                             |   | 1       | 3 = One-two times per week                                 |
|                             |   |         | 4 = Three - six times per week                             |
|                             |   |         | 5 = Daily  |
| Primary Ago                 | Yes                                     | Integer | Required field if drug is listed.                          |
| Primary_Age                 | 162                                     | Integer |  |
| Cocondany Cubetana          | V                                       | Intogs  | -3 = Not Applicable if drug is none.                       |
| Secondary_Substance         | Yes                                     | Integer | See Section 5  |

| Secondary_Route                   | Yes                              | Integer | Required field if drug is listed3 = Not Applicable if drug is none.  |
|-----------------------------------|----------------------------------|---------|--|
| Secondary_Frequency               | Yes                              | Integer | Required field if drug is listed3 = Not Applicable if drug is none.  |
| Secondary_Age                     | Yes                              | Integer | Required field if drug is listed3 = Not Applicable if drug is none.  |
| Tertiary Substance                | Yes                              | Integer | See Section 5  |
| Tertiary_Route                    | Yes                              | Integer | Required field if drug is listed3 = Not Applicable if drug is none.  |
| Tertiary_Frequency                | Yes                              | Integer | Required field if drug is listed3 = Not Applicable if drug is none.  |
| Tertiary_Age                      | Yes                              | Integer | Required field if drug is listed3 = Not Applicable if drug is none.  |
| Criminal_Involvement              | Yes                              | Integer | Arrests in the last 30 days (Maximum Value is 30)  |
| Social_Support                    | Yes                              | Integer | Frequency of Attendance at self-help programs or support groups in the last 30 days (e.g. AA, NA, Depression Support Group, Bipolar Support Group, etc.)  -2 = No attendance in the past month  2 = Less than once a week - 1-3 times in past month  3 = About ounce a week - 4-7 times in past month  4 = 2 to 3 times a week - 8-15 times in past month  5 = At least 4 times a week - 16-30 times in past month  6 = Some attendance in past month, but frequency unknown |
| Needle_Use                        | Yes                              | Integer | 0 = No, Consumer has not used a needle 1 = Yes, Consumer has used and shared a needle 2 = Yes, Consumer has used a needle  |
| Currently_Pregnant                | Yes                              | Integer | Is the consumer currently pregnant?  0 = No  1 = Yes   |
| Consumer_Receiving_MAT            | Yes,<br>if date is<br>after 6/30 | Integer | Is the consumer receiving Medication-Assisted Treatment (MAT)? 0=No 1=Yes -3 = Not Applicable (Only available if date is before 7/1)   |
| Prescribed_Medication             | Yes,<br>if date is<br>after 6/30 | Integer | What medication is being prescribed?  1 = Naltrexone (oral dosing)  2 = Naltrexone (injection; Vivitrol)  3 = Buprenorphine containing products (Suboxone, Subutex, buprenorphine, etc)  4 = Methadone  -3 = Not Applicable (Only available if MAT is No or the date is before 7/1 and MAT is -3.)   |
| Is_Prescriber_Organization_St aff | Yes,<br>if date is<br>after 6/30 | Integer | Is the prescriber a staff in your organization?  0 = No  1 = Yes  -3 = Not Applicable (Only available if MAT is No or the date is before 7/1 and MAT is -3.)   |

**Returns: String** 

| Value | Value Description  |
|-------|--|
| 1     | NOMS History Inserted Successfully   |
| 2     | NOMS History Updated Successfully  |
| 0     | Consumer record not found  |
| -1    | Invalid flow   |
| -2    | SQL exception  |
| -29   | Invalid Episode of Care specified  |
| -61   | School Attendance Status is required for children ages 3-17                                |
| -62   | Housing Category does not match with Level of Residential Support, Level of Community      |
|       | Integration or Homeless Services   |
| -71   | New Data can only be added for 180 days after the Episode End Date                         |
| -74   | Records can only be updated for 180 days after the submission date to DARMHA               |
| -103  | Medication being prescribed and Is the prescriber a staff at your organization answers are |
|       | required if consumer is receiving Medication Assisted Treatment (MAT).                     |

String representing the validation status of each field based from order position.

# <u>GetSubstanceCodes</u>

This method retrieves a list of all of the active Substances and their respective identifiers.

### [C#]

public List<SubstanceItem> GetSubstanceCodes()

### [Visual Basic.Net]

Public GetSubstanceCodes() as List<SubstanceItem>

Returns: List<SubstanceItem> with Error\_Code field (blank default)

| Error_Code | Value Description     |
|------------|-----------------------|
| -1         | Invalid flow          |
| -2         | SQL exception         |
| -3         | Authentication Failed |

# UNIVERSAL ERROR CODE LIST

| Code Value | Subject Area        | Code Description  |  |
|------------|---------------------|---|--|
| 1          | General             | Operation completed successfully  |  |
| 0          | Consumer            | Consumer Record Not Found   |  |
| -1         | General             | Invalid Flow  |  |
| -2         | General             | SQL exception   |  |
| -3         | General             | Authentication Failed   |  |
| -5         | Assessment          | No Assessment Found   |  |
| -6         | Assessment          | Assessment Date is required   |  |
| -7         | Assessment          | Invalid Assessment Date (format)  |  |
| -8         | Assessment          | Future Assessment Date is not allowed   |  |
| -9         | Assessment          | Duplicate Assessment – Same Internal ID and Assessment Date                     |  |
| -10        | Assessment          | Answer ID is required   |  |
| -11        | Assessment          | Clinician ID is required  |  |
| -12        | Assessment          | Clinician ID not found or certification is missing or has expired               |  |
| -13        | Assessment          | Invalid Assessment Reason Code.   |  |
| -14        | Assessment          | Assessment is empty   |  |
| -15        | Assessment          | Assessment Answer Error: An answer does not match with existing assessment      |  |
| -16        | Assessment          | Assessment is incomplete: < <error question="">&gt; answer is missing</error>   |  |
|            |                     | from core module < <error module="">&gt;</error>                                |  |
| -18        | Assessment          | Assessment is incomplete: < <error question="">&gt; answer is missing</error>   |  |
|            |                     | from a mandated extension module < <error module="">&gt;</error>                |  |
| -19        | General             | Unexpected error  |  |
| -20        | General             | Field(s) with errors  |  |
| -21        | Assessment          | Reason Code Error: Incorrect Reason Code Specified                              |  |
| -23        | Assessment          | System Error: Simple Episode Creation Failed                                    |  |
| -24        | Assessment          | Episode Error: Assessment cannot be attached to an episode                      |  |
|            |                     | closed for more than 180 days   |  |
| -25        | Assessment          | Episode Error: Assessment date is not within the boundaries of the episode      |  |
| -27        | Assessment          | Episode Error: Invalid Episode specified  |  |
| -28        | Assessment          | System Error: Insert Visit failed! Please try again or contact DARMHA Help Desk |  |
| -29        | Episode             | Invalid Episode of Care specified   |  |
| -30        | Episode             | Consumer has no Episode of Care defined   |  |
| -31        | Episode             | No open episode of care defined by the supplied criteria                        |  |
| -32        | Episode             | Existing Open Episode of Care Exists, cannot create second open                 |  |
|            |                     | episode without closing first.  |  |
| -33        | Episode             | No Episode of Care exists, use Insert instead of Update                         |  |
| -34        | Episode             | Latest Episode has no Internal Identifier                                       |  |
| -35        | Episode             | Invalid Episode Status Code   |  |
| -36        | Episode             | Service Outside Episode of Care Bounds  |  |
| -37        | Episode             | Invalid Episode Start Date or Internal Episode Code                             |  |
| -38        | Episode             | Invalid Episode Close Date  |  |
| -40        | Encounter           | No Service Record found related to supplied Internal Service ID                 |  |
| -41        | Diagnosis/Agreement | Invalid Diagnosis Axis Value Specified  |  |

| Code Value | Subject Area                  | Code Description   |  |
|------------|-------------------------------|--|--|
| -43        | Diagnosis/Agreement           | Invalid Age/Agreement Type Combination.  |  |
| -44        | File                          | Number of fields is invalid for the selected file type.  |  |
| -45        | File                          | Invalid Episode Data type identifier.  |  |
| -46        | Episode                       | No Prior Episode of Care Defined.  |  |
| -47        | Episode                       | Episode Closed longer 180 days - cannot modify.  |  |
| -48        | Episode                       | Episode Overlap Error: Episode predates existing episode or is                                       |  |
| 40         | Faired                        | defined inside another existing episode.   |  |
| -49        | Episode                       | Internal Episode ID Exists, cannot insert new episode with duplicate internal episode id.            |  |
| -50        | Episode                       | Invalid Consumer/Provider Combination.   |  |
| -51        | Episode                       | Episode status is already closed.  |  |
| -52        | Consumer                      | At least one race must be selected.  |  |
| -53        | Episode                       | Invalid DSC Status Start Date.   |  |
| -54        | Episode                       | Invalid DSC Status Value.  |  |
| -55        | Episode                       | Reopened episode must remain open for 24 hours.  |  |
| -56        | Diagnosis/Agreement           | Invalid value in Axis V-GAF or SOGS Field.   |  |
| -57        | Consumer                      | Other single race can only be used when the other race categories do not apply.                      |  |
| -58        | Assessment                    | Invalid Assessment Tool for Consumer's Age, 1.   |  |
| -59        | Encounter                     | Internal Service ID already exists; record skipped.  |  |
| -60        | Encounter                     | Internal Service ID is required.   |  |
| -61        | NOMS                          | School Attendance Status is required for children ages 3-17.   |  |
| -62        | NOMS                          | Housing Category does not match with Level of Residential Support, Level of                          |  |
|            |                               | Community Integration or Homeless Services.  |  |
| -63        | Diagnosis/Agreement           | Funding has been requested for this record; it cannot be overwritten.                                |  |
| -64        | Diagnosis/Agreement           | Required data to request funding is missing.   |  |
| -65        | Consumer                      | Based on DOB and Social Security Number, this consumer already exists.                               |  |
| -66        | Consumer                      | Cannot update consumer record, DOB does not match assessment tool.                                   |  |
| -67        | Encounter                     | Encounter record can only be updated or deleted for 180 days after the date of submission to DARMHA. |  |
| -68        | Episode & Diagnosis/Agreement | Agreement Type cannot be changed on the same day as the episode was closed.                          |  |
| -69        | Diagnosis/Agreement           | Diagnosis is not allowed as primary diagnosis.   |  |
| -70        | Episode                       | Episode must be open for at least one day.   |  |
| -71        | General                       | New data can only be added for 180 days after the episode end date.                                  |  |
| -73        | Diagnosis/Agreement           | Primary Diagnosis and Agreement Type does not match.   |  |
| -74        | General                       | Records can only be updated for 180 days after the submission date to DARMHA.                        |  |
| -75        | Diagnosis/Agreement           | Special Funding Requested should have an Specialized Treatment of Deaf Services or Opioid Treatment. |  |
| -76        | Assessment                    | Valid County ID code required  |  |
| -77        | Assessment                    | Clinician ID does not exist in DARMHA  |  |
| -78        | Assessment                    | Certification does not exist in DARMHA   |  |
| -79        | Assessment                    | Clinician certification is expired   |  |
| -80        | Episode                       | Medicaid ID is required if Medicaid status is active or Medicaid ID format is invalid                |  |
| -81        | Episode                       | When Served is "Yes," Veteran, Deported and Combat questions cannot be "Not Applicable."             |  |
| -82        | Episode                       | Cannot create new episode with "Death" termination code in previous record.                          |  |

| -83  | NOMS                | Duplication of drugs selected for primary, secondary or tertiary substances are not   |  |
|------|---------------------|---|--|
|      |                     | allowed.  |  |
| -84  | Consumer            | Provider not eligible for new program.  |  |
| -85  | Consumer            | Required data for new program is not complete.  |  |
| -86  | Episode             | Duplicate Internal Episode Code exist in consumer.  |  |
| -87  | Diagnosis/Agreement | Duplicate use of Diagnosis Code is not allowed.   |  |
| -88  | Episode             | DSC status cannot change at episode closing.  |  |
| -89  | Consumer            | Suffix does not belong in the last name field.  |  |
| -90  | Diagnosis/Agreement | Diagnosis Codes must be submitted in order without blank entries in between.  |  |
| -91  | Assessment          | Invalid assessment layout for tool.   |  |
| -92  | Assessment          | Assessment question(s) has multiple Answer IDs.   |  |
| -93  | Consumer            | Duplicate SSN.  |  |
| -94  | Consumer            | Duplicate Medicaid ID.  |  |
| -95  | Consumer            | English Fluency field is required if primary language is not English.   |  |
| -97  | Consumer            | Language ID value of -1 (Unknown) is not allowed.   |  |
| -98  | Encounter           | Main Service Setting Type code does not match with agreement type.  |  |
| -99  | Encounter           | A Diagnosis/Agreement Type record is required before submitting an encounter.   |  |
| -100 | Diagnosis/Agreement | No Diagnosis/Agreement Type record exists.  |  |
| -101 | Episode             | Date of new records cannot be six months prior to current date.   |  |
| -102 | Episode             | Consumer's date of death is required if "Death (5)" is selected in episode status.  |  |
| -103 | NOMS                | Medication being prescribed and Is the prescriber a staff at your organization answers are required if consumer is receiving Medication Assisted Treatment (MAT). |  |
| -104 | Diagnosis/Agreement | NOMS record (as of diagnosis date) with primary drug is required if agreement type is CA (3).   |  |
| -105 | Episode             | Episode status with "DMHA Administrative Discharge" cannot be reopened.   |  |
| -106 | Episode             | Episode Death Date cannot be before date of last supporting record (Assessment, Diagnosis, Encounter, NOMS, etc.).  |  |
| -107 | Encounter           | Modifier Code is invalid or required.   |  |

# Schedule 5. Substance Use/Abuse Codes

At least one substance is required if Agreement type is CA; "None" is NOT an option for Primary Substance for CA consumers, except if the consumer has a gambling addiction.

25 = Thai 26 = Urdu

27 = Vietnamese 28 = Yiddish 29 = Other

- -2 = None
- 2= Alcohol
- 3 = Cocaine/Crack
- 4 = Marijuana/Hashish
- 5 = Heroin
- 6 = Non-Prescription Methadone
- 7 = Other Opiates and Synthetics
- 8 = PCP
- 9 = Other Hallucinogens
- 10 = Methamphetamine
- 11 = Other Amphetamines
- 12 = Other Stimulants
- 13 = Benzodiazepines
- 14 = Other non-Benzodiazepines Tranquilizers
- 15 = Barbiturates
- 16 = Other non-Barbiturate Sedatives or Hypnotics
- 17 = Inhalants
- 18 = Over-the-Counter
- 19 = Tobacco

12 = Hmong

20 = Other

#### Schedule 6. Primary Language Codes

| 1 = English  | 13 = Italian        |
|--------------|---------------------|
| 2 = Spanish  | 14 = Japanese       |
| 3 = Arabic   | 15 = Khmer          |
| 4 = Armenian | 16 = Korean         |
| 5 = Chinese  | 17 = Laotian        |
| 6 = French   | 18 = Navajo         |
| 7 = German   | 19 = Persian        |
| 8 = Greek    | 20 = Polish         |
| 9 = Gujarati | 21 = Portuguese     |
| 10 = Hebrew  | 22 = Russian        |
| 11 = Hindi   | 23 = Serbo-Croatian |

24 = Tagalog